

CLASS 1

Building Product Information Sheet

Product name:

Vortex Back to Wall Toilet Suite

Product line (the product line from which the product is customised):

Product description and its intended use (measurements, materials, usage):

The back to wall toilet suite is a close-coupled product, with integral P-Trap. It has drainage by wash-down type, flush by cistern, dual flush, pedestal WC pan and rear/bottom inlet. It has a nominal fixed flush volume of 4.5L/3L.

The flush device consists of:

- An inlet valve, Model ID# A1420; WaterMark Licence Certificate 20080; Manufactured by R&T
- A flush valve, Model ID# A2412; WaterMark Licence Certificate 20080; Manufactured by R&T

Key Technical Specification:

Product identifier (if applicable):

SKU 2090294 (6092A)

Place of manufacture: ☐ Aotearoa New Zealand ☒ Overseas

Legal and trading name of the manufacturer(s):

Chaozhou Creation Trend Ceramic Co., Ltd.

Legal and trading name of the importer (if applicable):

Mitre10 New Zealand Import Limited./Mitre10 (New Zealand) Limited.

Address for service:

STREET NAME	67 Corinthian Drive	SUBURB	Private bag 102-925 Albany
CITY, COUNTRY	Auckland, New Zealand	POSTCODE	0745

Website:

www.mitre10.co.nz

Email address:

customersupport@mitre10.co.nz

Phone No. (if applicable):

NZBN (if applicable):

9429038444067 / 9429040588179



Relevant Building Code clauses:

B2 Durability: Clause B2.3.1(c)
 F2 Hazardous Building Materials: Clause F2.3.1
 G1 Personal Hygiene: Clause G1.3.2
 G13 Foul Water: Clauses G13.3.1(b), G13.3.1(c), G13.3.2

Statement on how the building product is expected to contribute to compliance:

B2.3.1(c): The toilet is tested and complies with:
 AS 1172.1:2014: Sanitary plumbing products Water closet pans
 AS 1172.2:2014: Sanitary plumbing products Flushing devices and cistern inlet and outlet valves
 AS 1976:1992: Vitreous china used in sanitary appliances
 AS/NZS 6400:2016: Water efficient products - Rating and labelling
 The toilet is WaterMark certified and deemed to comply with the 5 years durability requirement.

F2.3.1: The toilet is safe and does not emit volatile chemicals.

G1.3.2, G13.3.1(b), G13.3.1(c) & G13.3.2: The toilet is tested and complies with:
 AS 1172.1:2014: Sanitary plumbing products Water closet pans
 AS 1172.2:2014: Sanitary plumbing products Flushing devices and cistern inlet and outlet valves
 AS 1976:1992: Vitreous china used in sanitary appliances
 AS/NZS 6400:2016: Water efficient products - Rating and labelling

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

Suitable for back inlet Pan.

Not for use as a toilet in accessible facilities without additional consideration of its design, and the relevant Building Code Clauses that cover accessible facilities.

Design requirements that would support the use of the building product:

The toilet is designed in accordance with:

AS 1172.1:2014: Sanitary plumbing products Water closet pans

AS 1172.2:2014: Sanitary plumbing products Flushing devices and cistern inlet and outlet valves

AS 1976:1992: Vitreous china used in sanitary appliances

It is recommended the toilet is installed by a Certified Plumber.

Installation requirements:

Recommend the toilet is installed by Certified Plumber in accordance with NZBC G1/AS1 and G13/AS1.

Refer to details in the Installation Manual.

Maintenance requirements:

Clean with a soft cloth and warm soapy water as necessary - rinse and dry after cleaning.

Avoid using abrasive or acid-based cleaning products.

Is the building product/building product line subject to warning or ban under section 26?:

☐ Yes ☒ No

If yes, description of the warning or ban under section 26:

Date:

0 | 3 | 0 | 9 | 2 | 6